

The listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims**

1. (Currently Amended) In a computer system, a method of ~~providing~~ displaying a scroll bar for a file, ~~the scroll bar including a plurality of locations~~ corresponding to a plurality of locations in the file, the method comprising:
  - obtaining one or more location criteria ~~used to identify one or more~~ a plurality of desired locations in the file;
  - identifying one or more display criteria to be used to designate the plurality of one or more desired locations in the file to display their relative importance with respect to each other;
  - locating ~~one or more~~ the plurality of desired locations in the file according to the one or more location criteria; ~~and~~
  - determining relative importance of each one of the plurality of desired locations in the file with respect to each other; and
  - displaying the scroll bar, based on the relative importance, by applying the one or more display criteria to ~~[[the]]~~ each one of a plurality of corresponding locations of the scroll bar corresponding to the ~~one or more~~ plurality of desired locations in the file individually, wherein said displaying of the scroll bar is generated such that displays each one of the plurality of corresponding locations of the scroll bar to indicate the relative importance of content[[s]] in each one of the corresponding plurality of desired locations [[of]] in the file with respect to one another even though the content of the plurality of desired locations of the file are not displayed, ~~wherein the relative importance of contents in the corresponding locations of the file is based on comparing the importance of contents in locations of the file with one another.~~
2. (Cancelled)
3. (Previously Presented) The method as recited in claim 1, wherein the scroll bar includes a plurality of horizontal segments, each of the horizontal segments indicating relative importance of contents in the corresponding locations of the file.

4. (Previously Presented) The method as recited in claim 3, wherein each of the plurality of horizontal segments is displayed with at least one of a color, hue, intensity and transparency indicating its relative importance.
5. (Original) The method as recited in claim 1, wherein displaying the scroll bar further comprises applying a background display criteria to a plurality of locations of the scroll bar corresponding to remaining locations in the file that do not include the desired locations.
6. (Original) The method as recited in claim 5, further comprising:  
displaying one or more of the plurality of locations in the file by applying the display criteria and the background display criteria.
7. (Currently Amended) The method as recited in claim 6, wherein the plurality of desired locations of the file are a plurality of rows in the file.
8. (Original) The method as recited in claim 1, further comprising:  
displaying one or more of the plurality of locations in the file by applying the display criteria.
9. (Original) The method as recited in claim 8, wherein the plurality of locations are a plurality of rows in the file.
10. (Original) The method as recited in claim 1, further comprising:  
displaying contents of the file by applying the display criteria.
11. (Original) The method as recited in claim 1, wherein the location criteria is used to identify one or more errors.
12. (Original) The method as recited in claim 1, wherein the location criteria is used to identify one or more warnings.
13. (Original) The method as recited in claim 1, further comprising:  
obtaining one or more user-defined location criteria.

14. (Original) The method as recited in claim 13, further comprising:  
obtaining one or more user-defined display criteria.
15. (Original) The method as recited in claim 1, wherein the location criteria  
includes one or more rankings associated with one or more content-dependent criteria.
16. (Original) The method as recited in claim 1, wherein each of the one or more  
display criteria includes at least one of color, hue, intensity and transparency.
17. (Original) The method as recited in claim 16, further comprising:  
obtaining one or more user-defined display criteria.
18. (Original) The method as recited in claim 16, wherein each of the one or more  
display criteria is associated with one or more of the location criteria.
19. (Original) The method as recited in claim 18, further comprising:  
obtaining one or more user-defined display criteria.
20. (Original) The method as recited in claim 19, further comprising:  
obtaining one or more user-defined location criteria.
21. (Original) The method as recited in claim 1, further comprising:  
obtaining one or more user-defined display criteria.
22. (Original) The method as recited in claim 21, wherein each of the one or more  
display criteria is associated with one or more of the location criteria.
23. (Original) The method as recited in claim 1, wherein each of the one or more  
display criteria is associated with one or more of the location criteria.
24. (Original) The method as recited in claim 5, further comprising:  
obtaining user-defined background display criteria.

25. (Original) The method as recited in claim 24, wherein the background display criteria includes at least one of color, hue, intensity and transparency.
26. (Original) The method as recited in claim 5, wherein the background display criteria includes at least one of color, hue, intensity and transparency.
27. (Original) The method as recited in claim 1, wherein locating one or more desired locations in the file according to the location criteria comprises:  
determining a reference count for each row in the file, the reference count indicating a number of the desired locations in the corresponding row.
28. (Original) The method as recited in claim 27, wherein displaying the scroll bar by applying the one or more display criteria to one or more locations of the scroll bar corresponding to the one or more desired locations in the file comprises:  
applying the one or more display criteria to the one or more locations of the scroll bar in accordance with the reference count for corresponding rows in the file.
29. (Original) The method as recited in claim 28, further comprising:  
displaying one or more of the plurality of locations in the file by applying the one or more display criteria to the one or more of the plurality of locations in the file in accordance with the reference count for corresponding rows in the file.
30. (Original) The method as recited in claim 28, further comprising:  
dividing the reference count for each row in the file by a total number of reference counts in the file to obtain a row reference count;  
normalizing the row reference count for each row in the file;  
wherein applying the one or more display criteria to the one or more locations of the scroll bar includes applying the one or more display criteria to the one or more locations of the scroll bar in accordance with the normalized row reference count for corresponding rows in the file.

31. (Original) The method as recited in claim 30, further comprising:  
displaying one or more of the plurality of locations in the file by applying the one or more display criteria to the one or more of the plurality of locations in the file in accordance with the normalized row reference count for corresponding rows in the file.
32. (Original) The method as recited in claim 30, further comprising:  
applying a non-linear function to each normalized row reference count to generate a non-linear normalized row reference count for each row in the file;  
wherein applying the one or more display criteria to the one or more locations of the scroll bar includes applying the one or more display criteria to the one or more locations of the scroll bar in accordance with the non-linear normalized row reference count for corresponding rows in the file.
33. (Original) The method as recited in claim 32, further comprising:  
displaying one or more of the plurality of locations in the file by applying the one or more display criteria to the one or more of the plurality of locations in the file in accordance with the non-linear normalized row reference count for corresponding rows in the file.
34. (Original) The method as recited in claim 32, wherein the non-linear function is a square-root function.
35. (Currently Amended) A computer-readable medium storing thereon computer-readable instructions for causing a computer to display ~~provide~~ a scroll bar for a file, ~~the scroll bar including a plurality of locations corresponding to a plurality of locations in the file,~~ comprising:  
instructions for obtaining one or more location criteria ~~used~~ to identify ~~one or more~~ a plurality of desired locations in the file;  
instructions for identifying one or more display criteria to be used to designate the plurality of one or more desired locations in the file to display their relative importance with respect to each other;  
instructions for locating ~~one or more~~ the plurality of desired locations in the file according to the one or more location criteria; ~~and~~

instructions for determining relative importance of each one of the plurality of desired locations in the file with respect to each other; and

instructions for displaying the scroll bar, based on the relative importance, by applying the one or more display criteria to ~~[[the]]~~ each one of a plurality of corresponding locations of the scroll bar corresponding to the ~~one or more plurality of~~ desired locations in the file individually, wherein said displaying of the scroll bar is ~~generated such that~~ displays each one of the plurality of corresponding locations of the scroll bar to indicate the relative importance of content[[s]] in each one of the ~~corresponding~~ plurality of desired locations ~~[[of]]~~ in the file with respect to one another even though the content of the plurality of desired locations of the file are not displayed, wherein ~~the relative importance of contents in the corresponding locations of the file is based on comparing the importance of contents in locations of the file with one another.~~

36. (Currently Amended) An apparatus for ~~providing~~ displaying a scroll bar for a file, ~~the scroll bar including a plurality of locations corresponding to a plurality of locations in the file,~~ comprising:

means for obtaining one or more location criteria ~~used to identify one or more a~~ plurality of desired locations in the file;

means for identifying one or more display criteria to be used to designate the plurality of ~~one or more~~ desired locations in the file to display their relative importance with respect to each other;

means for locating ~~one or more~~ the plurality of desired locations in the file according to the one or more location criteria; ~~and~~

means for determining relative importance of each one of the plurality of desired locations in the file with respect to each other; and

means for displaying the scroll bar, based on the relative importance, by applying the one or more display criteria to ~~[[the]]~~ each one of a plurality of corresponding locations of the scroll bar corresponding to the ~~one or more plurality of~~ desired locations in the file individually, wherein said displaying of the scroll bar is ~~generated such that~~ displays each one of the plurality of corresponding locations of the scroll bar to indicate the relative importance of content[[s]] in each one of the ~~corresponding~~ plurality of desired locations ~~[[of]]~~ in the file with respect to one another even though the content of the plurality of desired locations of the file are not displayed, wherein ~~the relative~~

~~importance of contents in the corresponding locations of the file is based on comparing the importance of contents in locations of the file with one another.~~

37. (Currently Amended) A computer system for ~~providing~~ displaying a scroll bar for a file, ~~the scroll bar including a plurality of locations corresponding to a plurality of locations in the file,~~ comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

obtaining one or more location criteria ~~used to identify one or more~~ a plurality of desired locations in the file;

identifying one or more display criteria to be used to designate the plurality of one or more desired locations in the file to display their relative importance with respect to each other;

locating ~~one or more~~ the plurality of desired locations in the file according to the one or more location criteria; and

determining relative importance of each one of the plurality of desired locations in the file with respect to each other; and

displaying the scroll bar, based on the relative importance, by applying the one or more display criteria to ~~[[the]]~~ each one of a plurality of corresponding locations of the scroll bar corresponding to the ~~one or more~~ plurality of desired locations in the file individually, wherein said displaying of the scroll bar is generated such that displays each one of the plurality of corresponding locations of the scroll bar to indicate the relative importance of content[[s]] in each one of the corresponding plurality of desired locations [[of]] in the file with respect to one another even though the content of the plurality of desired locations of the file are not displayed, ~~wherein the relative importance of contents in the corresponding locations of the file is based on comparing the importance of contents in locations of the file with one another.~~

38. (Previously Presented) The method as recited in claim 1, further comprising:  
receiving a selection of a location of the scroll bar after the scroll bar is displayed.